

[Distribution and incidence of atypical glandular lesions in cervical cytology focusing on the association with high-risk human papillomavirus subtypes](#)

Abbas M, De Jonge J, Bettendorf O.

Oncol Lett. 2022 Nov 10; 25(1):6. doi: 10.3892/ol.2022.13592. PMID: 36419751; PMCID: PMC9677516.

[HPV-genotyping versus conventional cervical cytology as a screening method to detect dysplastic cervical epithelial changes](#)

Abbas M, de Jonge J, Bettendorf O.

Sci Rep. 2022 Oct 24; 12(1):17828. doi: 10.1038/s41598-022-22438-z. PMID: 36280748; PMCID: PMC9592588.

[Evaluation of P16/Ki67 \(CINtecPlus\) and L1-capsid compared with HPV-genotyping in cervical cytology in women \$\geq 35\$ years old focusing on patients with atypical squamous cells of undetermined significance](#)

Abbas M, Erduran I, De Jonge J, Bettendorf O.

Oncol Lett. 2022 Jun 2; 24(1):242. doi: 10.3892/ol.2022.13362. PMID: 35720497; PMCID: PMC9185144.

[History of the anatomical and clinical autopsy](#)

Diallo-Danebrock R, Abbas M, Groß D, Kellner U. Geschichte der anatomischen und klinischen Obduktion.

Pathologe. 2019 Feb; 40(1):93-100. German. doi: 10.1007/s00292-018-0461-7. PMID: 30062578.

[Adenocarcinoma of the urinary bladder, mesonephroid type: a rare case.](#)

Abbas M, Kramer MW, Wolters M, Herrman TR, Becker JU, Kreipe HH.

Rare Tumors. 2013 Mar 1;5(1): e3. doi: 10.4081/rt. 2013.e3. Print 2013 Feb 11. PMID: 23772302 Free. PMC article.

[Expression of angiogenic factors is increased in metastasised renal cell carcinomas.](#)

Abbas M, Salem J, Stucki-Koch A, Rickmann M, Grünwald V, Herrmann T, Jonigk D, Kreipe H, Hussein K.

Virchows Arch. 2014 Feb; 464(2):197-202. doi: 10.1007/s00428-013-1529-7. Epub 2014 Jan 14. PMID: 24420741

[Primary mucinous adenocarcinoma of the renal pelvis with carcinoma in situ in the ureter.](#)

Abbas M, Kramer MW, Spieker T, Herrman TR, Merseburger AS, Müller KM, Kuczyk MA, Becker JU, Kreipe HH.

J Egypt Natl Canc Inst. 2014 Mar; 26(1):51-4. doi: 10.1016/j.jnci.2013.11.002. Epub 2014 Jan 9. PMID: 24565683

[Synovial sarcoma of the kidney in a young patient with a review of the literature.](#)

Abbas M, Dämmrich ME, Braubach P, Meinardus A, Kramer MW, Merseburger AS, Herrmann TR, Grünwald V, Kreipe HH.

Rare Tumors. 2014 Jun 16; 6(2):5393. doi: 10.4081/rt.2014.5393. eCollection 2014 May 13. PMID: 25002954 Free PMC article.

[Alpha-Methylacyl-coenzyme A racemase \(AMACR, p504s\) is a marker to distinguish malignant Melanomas from dysplastic nevi and melanocytic nevi.](#)

Abbas M, Ploch EM, Wehling J, Schipper E, Janciauskiene S, Kreipe HH, Jonigk D.

Tumour Biol. 2014 Dec; 35(12):12015-20. doi: 10.1007/s13277-014-2500-1. Epub 2014 Aug 24. PMID: 25149154

[Overview and evaluation of the value of fine needle aspiration cytology in determining the histogenesis of liver nodules: 14 years of experience at Hannover Medical School.](#)

Soudah B, Schirakowski A, Gebel M, Potthoff A, Braubach P, Schlue J, Krech T, Dämmrich ME, Kreipe HH, Abbas M.

Oncol Rep. 2015 Jan; 33(1):81-7. doi: 10.3892/or.2014.3554. Epub 2014 Oct 20. PMID: 25333302

[Do programmed death 1 \(PD-1\) and its ligand \(PD-L1\) play a role in patients with non-clear cell renal cell carcinoma?](#)

Abbas M, Steffens S, Bellut M, Becker JU, Großhennig A, Eggers H, Wegener G, Kuczyk MA, Kreipe HH, Grünwald V, Schrader AJ, Ivanyi P.

Med Oncol. 2016 Jun; 33(6):59. doi: 10.1007/s12032-016-0770-8. Epub 2016 May 10. PMID: 27165272

[Intratumoral expression of programmed death ligand 1 \(PD-L1\) in patients with clear cell renal cell carcinoma \(ccRCC\).](#)

Abbas M, Steffens S, Bellut M, Eggers H, Großhennig A, Becker JU, Wegener G, Schrader AJ, Grünwald V, Ivanyi P.

Med Oncol. 2016 Jul; 33(7):80. doi: 10.1007/s12032-016-0794-0. Epub 2016 Jun 17. PMID: 27317388.

[Prostate adenocarcinoma of secretory type with wide expression of p63 and negativity of the basal marker Ck5/6: Rare subtype of adenocarcinoma of secretory origin and to be differentiated from basal cell carcinoma. Review of literature.](#)

Abbas M, Habibian B and Bettendorf O.

Rare Tumors. 2020 Dec 1;12:2036361320971948. doi: 10.1177/2036361320971948. eCollection 2020. PMID: 33312493 Free PMC article.

[Specific spatial distribution patterns of tumor foci are associated with a low risk of biochemical recurrence in pT2pNOR0 prostate cancer.](#)

Eminaga O, Abbas M, Bettendorf O, Semjonow A.

World J Urol. 2021 May; 39(5):1499-1507. doi: 10.1007/s00345-020-03323-8. Epub 2020 Jun 26. PMID: 32591903.

[Author Correction: Glomerulocapillary miRNA response to HLA-class I antibody in vitro and in vivo.](#)

Heinemann FM, Jindra PT, Bockmeyer CL, Zeuschner P, Wittig J, Höflich H, Eßer M, Abbas M, Dieplinger G, Stolle K, Vester U, Hoyer PF, Immenschuh S, Heinold A, Horn PA, Li W, Eisenberger U, Becker JU.

Sci Rep. 2018 Apr 12;8(1):6003. doi: 10.1038/s41598-018-23760-1. Erratum for: Sci Rep. 2017 Nov 6; 7(1):14554. PMID: 29651104; PMCID: PMC5897403.

[Galectin-1 and Galectin-3 mRNA expression in renal cell carcinoma.](#)

von Klot CA, Kramer MW, Peters I, Hennenlotter J, Abbas M, Scherer R, Herrmann TR, Stenzl A, Kuczyk MA, Serth J, Merseburger AS.

BMC Clin Pathol. 2014 Apr 3; 14:15. doi: 10.1186/1472-6890-14-15. PMID: 24708743; PMCID: PMC4026056.

[Comparative Analysis of Label-Free and 8-Plex iTRAQ Approach for Quantitative Tissue Proteomic Analysis.](#)

Latosinska A, Vougas K, Makridakis M, Klein J, Mullen W, Abbas M, Stravodimos K, Katafigiotis I, Merseburger AS, Zoidakis J, Mischak H, Vlahou A, Jankowski V.

PLoS One. 2015 Sep 2;10(9):e0137048. doi: 10.1371/journal.pone.0137048. Erratum in: PLoS One. 2015;10(10):e0139268. PMID: 26331617; PMCID: PMC4557910.

[The CpG island methylator phenotype in breast cancer is associated with the lobular subtype.](#)

Roessler J, Ammerpohl O, Gutwein J, Steinemann D, Schlegelberger B, Weyer V, Sariyar M, Geffers R, Arnold N, Schmutzler R, Bartram CR, Heinrich T, Abbas M, Antonopoulos W, Schipper E, Hasemeier B, Kreipe H, Lehmann U.

Epigenomics. 2015; 7(2):187-99. doi: 10.2217/epi.14.74. Epub 2014 Oct 27. PMID: 25347269.

[Genome-wide investigation of multifocal and unifocal prostate cancer-are they genetically different?](#)

Ibeawuchi C, Schmidt H, Voss R, Titze U, Abbas M, Neumann J, Eltze E, Hoogland AM, Jenster G, Brandt B, Semjonow A.

Int J Mol Sci. 2013 Jun 3; 14(6):11816-29. doi: 10.3390/ijms140611816. PMID: 23736690; PMCID: PMC3709757.

[Preoperative Serum Prostate-Specific Antigen Levels Vary According to the Topographical Distribution of Prostate Cancer in Prostatectomy Specimens.](#)

Eminaga O, Hinkelammert R, Abbas M, Wötzel F, Eltze E, Bettendorf O, Boegemann M, Semjonow A.

Urology. 2015 Oct; 86(4):798-804. doi: 10.1016/j.urology.2015.07.029. Epub 2015 Aug 6. PMID: 26255036.

[Evaluation of 4DryField® PH as Adhesion Prevention Barrier Tested in an Optimized Adhesion Model in Rats.](#)

Poehnert D, Abbas M, Kreipe HH, Klempnauer J, Winny M.

Eur Surg Res. 2015 Dec;55(4):341-351. doi: 10.1159/000441025. Epub 2015 Oct 28. PMID: 26505616.

[High reproducibility of adhesion formation in rat with meso-stitch approximation of injured cecum and abdominal wall.](#)

Poehnert D, Abbas M, Kreipe HH, Klempnauer J, Winny M.

Int J Med Sci. 2015 Jan 1; 12(1):1-6. doi: 10.7150/ijms.8870. PMID: 25552912; PMCID: PMC4278869.

[Two papillary renal cell carcinomas of different origin following renal transplantation \(Case report\).](#)

Gerth HU, Pohlen M, Thoennissen NH, Suwelack B, Pavenstädt HJ, Störkel S, Abbas M, Spieker T, Thölking G.

Oncol Lett. 2012 Jul; 4(1):80-82. doi: 10.3892/ol.2012.704. Epub 2012 May 4. PMID: 22807965; PMCID: PMC3398374.

[GATA5 CpG island hypermethylation is an independent predictor for poor clinical outcome in renal cell carcinoma.](#)

Peters I, Gebauer K, Dubrowinskaja N, Atschekzei F, Kramer MW, Hennenlotter J, Tezval H, Abbas M, Scherer R, Merseburger AS, Stenzl A, Kuczyk MA, Serth J.

Oncol Rep. 2014 Apr; 31(4):1523-30. doi: 10.3892/or.2014.3030. Epub 2014 Feb 18. PMID: 24549248; PMCID: PMC3975988.

[Exploring prostate cancer genome reveals simultaneous losses of PTEN, FAS and PAPSS2 in patients with PSA recurrence after radical prostatectomy.](#)

Ibeawuchi C, Schmidt H, Voss R, Titze U, Abbas M, Neumann J, Eltze E, Hoogland AM, Jenster G, Brandt B, Semjonow A.

Int J Mol Sci. 2015 Feb 11; 16(2):3856-69. doi: 10.3390/ijms16023856. PMID: 25679447; PMCID: PMC4346930.

[The Fuhrman grading system has no prognostic value in patients with nonsarcomatoid chromophobe renal cell carcinoma.](#)

Steffens S, Janssen M, Roos FC, Becker F, Steinestel J, Abbas M, Steinestel K, Wegener G, Siemer S, Thüroff JW, Hofmann R, Stöckle M, Schrader M, Hartmann A, Hasenfus A, Kuczyk MA, Junker K, Schrader AJ; German Renal Cell Cancer Network.

Hum Pathol. 2014 Dec; 45(12):2411-6. doi: 10.1016/j.humpath.2014.08.002. Epub 2014 Aug 23. PMID: 25305793.

[Superiority of the EF-120-00-3F biopsy forceps in the histopathological evaluation of upper urinary tract specimens.](#)

Kramer MW, Abbas M, Kabbani M, Imkamp F, Nagele U, Bach T, Jutzi S, von Klot C, Becker J, Merseburger AS, Kuczyk MA, Kreipe HH, Herrmann TR.

World J Urol. 2014 Aug; 32(4):931-8. doi: 10.1007/s00345-013-1221-1. Epub 2013 Dec 17. PMID: 24343229.

[Blind Biobanking of the Prostatectomy Specimen: Critical Evaluation of the Existing Techniques and Development of the New 4-Level Tissue Extraction Model with High Sampling Efficacy.](#)

Tolkach Y, Eminaga O, Wötzel F, Huss S, Bettendorf O, Eltze E, Abbas M, Imkamp F, Semjonow A.

Prostate. 2017 Mar; 77(4):396-405. doi: 10.1002/pros.23278. Epub 2016 Nov 16. PMID: 27862105.

[Evaluation of the biological tolerability of the starch-based medical device 4DryField® PH in vitro and in vivo a rat model.](#)

Poehnert D, Abbas M, Maegel L, Sambale F, Lavrentieva A, Kreipe HH, Klempnauer J, Winny M.

J Biomater Appl. 2015 Oct; 30(4):463-71. doi: 10.1177/0885328215592257. Epub 2015 Jun 26. PMID: 26116021.

[DNA methylation biomarkers predict progression-free and overall survival of metastatic renal cell cancer \(mRCC\) treated with antiangiogenic therapies.](#)

Peters I, Dubrowinskaja N, Abbas M, Seidel C, Kogosov M, Scherer R, Gebauer K, Merseburger AS, Kuczyk MA, Grünwald V, Serth J.

PLoS One. 2014 Mar 14; 9(3):e91440. doi: 10.1371/journal.pone.0091440. PMID: 24633192; PMCID: PMC3954691.

[Immune Complex-Type Deposits in the Fischer-344 to Lewis Rat Model of Renal Transplantation and a Subset of Human Transplant Glomerulopathy.](#)

Grau V, Zeuschner P, Immenschuh S, Bockmeyer CL, Zell S, Wittig J, Säuberlich K, Abbas M, Padberg W, Meyer-Schwesinger C, von Brandenstein M, Schlosser M, Dieplinger G, Galliford J, Clarke C, Roufosse C, Becker JU.

Transplantation. 2016 May; 100(5):1004-14. doi: 10.1097/TP.0000000000001068. PMID: 26895216.

[En bloc resection of urothelium carcinoma of the bladder \(EBRUC\): a European multicenter study to compare safety, efficacy, and outcome of laser and electrical en bloc transurethral resection of bladder tumor.](#)

Kramer MW, Rassweiler JJ, Klein J, Martov A, Baykov N, Lusuardi L, Janetschek G, Hurler R, Wolters M, Abbas M, von Klot CA, Leitenberger A, Riedl M, Nagele U, Merseburger AS, Kuczyk MA, Babjuk M, Herrmann TR.

World J Urol. 2015 Dec; 33(12):1937-43. doi: 10.1007/s00345-015-1568-6. Epub 2015 Apr 25. PMID: 25910478.

[Tumor percentage but not number of tumor foci predicts disease-free survival after radical prostatectomy especially in high-risk patients.](#)

Hinkelammert R, Eminaga O, Bettendorf O, Eltze E, Abbas M, Hertle L, Semjonow A.

Urol Oncol. 2014 May; 32(4):403-12. doi: 10.1016/j.urolonc.2013.10.001. Epub 2013 Dec 12. PMID: 24332639.

[Decreased GATA5 mRNA expression associates with CpG island methylation and shortened recurrence-free survival in clear cell renal cell carcinoma.](#)

Peters I, Dubrowinskaja N, Kogosov M, Abbas M, Hennenlotter J, von Klot C, Merseburger AS, Stenzl A, Scherer R, Kuczyk MA, Serth J

BMC Cancer. 2014 Feb 17; 14:101. doi: 10.1186/1471-2407-14-101. PMID: 24533449; PMCID: PMC3930894.

[Intestinal mucormycosis with Rhizopus microsporus after liver transplantation--successful treatment of a rare but life-threatening complication.](#)

Vondran FW, Knitsch W, Krech T, Erichsen TJ, Sedlacek L, Abbas M, Klempnauer J, Bektas H, Lehner F, Kousoulas L.

Transplantation. 2014 Jan 27;97(2):e11-3. doi: 10.1097/01.tp.0000438631.21591.1e. PMID: 24434484.

[Age--an independent prognostic factor of clinical outcome in renal malignancies: results of a large study over two decades.](#)

Hupe MC, Merseburger AS, Lokeshwar VB, Eggers H, Rott H, Wegener G, Abbas M, Kuczyk MA, Herrmann TR.

World J Urol. 2014 Feb; 32(1):115-21. doi: 10.1007/s00345-013-1164-6. Epub 2013 Oct 2. PMID: 24085371.

[Clinical behavior of chromophobe renal cell carcinoma is less aggressive than that of clear cell renal cell carcinoma, independent of Fuhrman grade or tumor size.](#)

Steffens S, Roos FC, Janssen M, Becker F, Steinestel J, Abbas M, Steinestel K, Wegener G, Siemer S, Thüroff JW, Hofmann R, Stöckle M, Schrader M, Hartmann A, Junker K, Kuczyk MA, Schrader AJ; German Renal Cell Cancer Network.

Virchows Arch. 2014 Oct; 465(4):439-44. doi: 10.1007/s00428-014-1648-9. Epub 2014 Sep 2. PMID: 25178561.

[High-grade prostatic intraepithelial neoplasia \(HGPIN\) and topographical distribution in 1,374 prostatectomy specimens: existence of HGPIN near prostate cancer. Prostate.](#)

Eminaga O, Hinkelammert R, Abbas M, Titze U, Eltze E, Bettendorf O, Semjonow A.

2013 Jul; 73(10):1115-22. doi: 10.1002/pros.22660. Epub 2013 Mar 26. PMID: 23532797.

[CMDX©-based single source information system for simplified quality management and clinical research in prostate cancer.](#)

Eminaga O, Abbas M, Hinkelammert R, Titze U, Bettendorf O, Eltze E, Ozgür E, Semjonow A. BMC Med Inform Decis Mak. 2012 Dec 3; 12:141. doi: 10.1186/1472-6947-12-141. PMID: 23206574; PMCID: PMC3519791.

[Clear-cell variant urothelial carcinoma of the bladder: a case report and review of the literature.](#)

Kramer MW, Abbas M, Pertschy S, Becker JU, Kreipe HH, Kuczyk MA, Merseburger AS, Tezval H. Rare Tumors. 2012 Oct 10; 4(4): e48. doi: 10.4081/rt. 2012.e48. PMID: 23372912; PMCID: PMC3557562.

[The presence of positive surgical margins in patients with organ-confined prostate cancer results in biochemical recurrence at a similar rate to that in patients with extracapsular extension and PSA \$\leq\$ 10 ng/ml.](#)

Eminaga O, Hinkelammert R, Titze U, Abbas M, Eltze E, Bettendorf O, Semjonow A Urol Oncol. 2014 Jan; 32(1):32.e17-25. doi: 10.1016/j.urolonc.2012.11.021. Epub 2013 Feb 19. PMID: 23434425.

[Clinical map document based on XML \(cMDX\): document architecture with mapping feature for reporting and analysing prostate cancer in radical prostatectomy specimens.](#)

Eminaga O, Hinkelammert R, Semjonow A, Neumann J, Abbas M, Koepke T, Bettendorf O, Eltze E, Dugas M. BMC Med Inform Decis Mak. 2010 Nov 15; 10:71. doi: 10.1186/1472-6947-10-71. PMID: 21078179; PMCID: PMC2995775.

[Value of the innovated technique agarose cell block in improving the sensitivity of urine cytology in cases of bladder carcinoma.](#)

Mansy SS, Abbas MA, Yehia HA, Abdelrazik SM, Ghanem LY, Amin TM. Ultrastruct Pathol. 2006 Sep-Oct;30(5):379-85. doi: 10.1080/01913120600854269. PMID: 17090517.

Neoadjuvant targeted therapy in a primary metastasized renal cell cancer patient leads to downstaging of inferior vena cava thrombus (IVC) enabling a cardiopulmonary bypass-free tumor nephrectomy: a case report. Peters I, Winkler M, Jüttner B, Teebken OE, Herrmann TR, von Klot C, Kramer M, Reichelt A, Abbas M, Kuczyk MA, Merseburger AS.

World J Urol. 2014 Feb; 32(1):245-8. doi: 10.1007/s00345-012-0955-5. Epub 2012 Sep 30.

PMID: 23053210.

Prostate cancers detected on repeat prostate biopsies show spatial distributions that differ from those detected on the initial biopsies.

Eminaga O, Hinkelammert R, Abbas M, Titze U, Eltze E, Bettendorf O, Wötzel F, Bögemann M, Semjonow A.

BJU Int. 2015 Jul; 116(1):57-64. doi: 10.1111/bju.12691. Epub 2015 Apr 17. PMID: 24552505.

Incidental occurrence of papillary renal cell carcinoma in the native kidney with autosomal dominant polycystic kidney disease after renal transplantation: A case report.

Mahmoud Abbas, Melanie Pätzelt, Angelika Thurn, Olaf Anselm Brinkmann, Olaf Bettendorf

Case Reports: Mol Clin Oncol. 2021 Nov;15(5):223. doi: 10.3892/mco.2021.2386. Epub 2021 Aug 31.