

Publikationen

	Impact ¹
- 2019 -	
Stalling P, Engelbertz C, Lüders F, Meyborg M, Gebauer K, Waltenberger J, Reinecke H, Freisinger E. Unmet medical needs in Intermittent Claudication with Diabetes and Coronary Artery Disease - a ‚real-world‘ analysis on 21,197 PAD patients. <i>Clin Cardiol</i> 2019. doi: 10.1002/clc.23186.	2,733
Norgren L, Weiss N, Nikol S, Hinchliffe RJ, Lantis JC, Patel MR, Reinecke H, Ofir R, Rosen Y, Peres D, Aberman Z. PLX-PAD Cell Treatment of Critical Limb Ischaemia: Rationale and Design of the PACE Trial. <i>Eur J Vasc Endovasc Surg</i> 2019;57(4):538-545.	3,877
- 2018 -	
Steffel J, Verhamme P, Potpara TS, Albaladejo P, Antz M, Desteghe L, Haeusler KG, Oldgren J, Reinecke H, Roldan-Schilling V, Rowell N, Sinnaeve P, Collins R, Camm AJ, Heidbüchel H. The 2018 European Heart Rhythm Association Practical Guide on the use of non-vitamin K antagonist oral anticoagulants in patients with atrial fibrillation: executive summary. <i>Kardiol Pol</i> 2018;76:1283-1298.	1,227
Richter L, Freisinger E, Lüders F, Gebauer K, Meyborg M, Malyar NM. Impact of diabetes type on treatment and outcome of patients with peripheral artery disease. <i>Diab Vasc Dis Res.</i> 2018;15(6):504-510.	3,340
Reinecke H, Jürgensmeyer S, Engelbertz C, Gerss J, Kirchhof P, Breithardt G, Bauersachs R, Wanner C. Design and rationale of a randomised controlled trial comparing apixaban to phenprocoumon in patients with atrial fibrillation on chronic haemodialysis: the AXADIA-AFNET 8 study. <i>BMJ Open</i> 2018;8(9):e022690.	2,413
De-Torres-Alba F, Kaleschke G, Vormbrock J, Orwat S, Radke R, Feurle M, Diller GP, Reinecke H, Baumgartner H. Delayed pacemaker requirement after transcatheter aortic valve implantation with a new-generation balloon expandable valve: Should we monitor longer? <i>Int J Cardiol</i> 2018;273:56-62.	4,034
Steinbeck G, Sinner MF, Lutz M, Müller-Nurasyid M, Kääh S, Reinecke H. Incidence of complications related to catheter ablation of atrial fibrillation and atrial flutter: a nationwide in-hospital analysis of administrative data for Germany in 2014. <i>Eur Heart J</i> 2018;39(45):4020-4029.	23,425
Kaier K, Oettinger V, Reinecke H, Schmoor C, Frankenstein L, Vach W, Hehn P, von Zur Mühlen C, Bode C, Zehender M, Reinöhl J. Volume-outcome relationship in transcatheter aortic valve implantations in Germany 2008-2014: a secondary data analysis of electronic health records. <i>BMJ Open</i> 2018;8(7):e020204	2,413
Probst J, Diller GP, Reinecke H, Leitz P, Frommeyer G, Orwat S, Vormbrock J, Radke R, de Torres Alba F, Kaleschke G, Baumgartner H, Eckardt L, Wasmer K. Prevention of sudden cardiac death in patients with Tetralogy of Fallot: Risk assessment and long term outcome. <i>Int J Cardiol</i> 2018;269:91-96.	4,034
Malyar N, Freisinger E, Reinecke H. Peripheral Arterial Disease - Trends in Morbidity and Mortality. <i>Dtsch Med Wochenschr</i> 2018;143(11):766-770.	0,523

¹Impact-Zahlen 2019 und 2018 anhand der Faktoren 2017

- Freisinger E**, Sehner S, **Malyar NM**, Suling A, **Reinecke H**, Wegscheider K. Nationwide Routine-Data Analysis of Sex Differences in Outcome of Acute Myocardial Infarction. *Clin Cardiol* 2018;41(8):1013-1021 **2,733**
- Steffel J, Verhamme P, Potpara TS, Albaladejo P, Antz M, Desteghe L, Georg Haeusler K, Oldgren J, **Reinecke H**, Roldan-Schilling V, Rowell N, Sinnaeve P, Collins R, Camm AJ, Heidbüchel H; ESC Scientific Document Group. The 2018 European Heart Rhythm Association Practical Guide on the use of non-vitamin K antagonist oral anticoagulants in patients with atrial fibrillation: executive summary. *Europace* 2018;20(8):1231-1242. **5,231**
- Steffel J, Verhamme P, Potpara TS, Albaladejo P, Antz M, Desteghe L, Haeusler KG, Oldgren J, **Reinecke H**, Roldan-Schilling V, Rowell N, Sinnaeve P, Collins R, Camm AJ, Heidbüchel H; ESC Scientific Document Group. The 2018 European Heart Rhythm Association Practical Guide on the use of non-vitamin K antagonist oral anticoagulants in patients with atrial fibrillation. *Eur Heart J* 2018;39(16):1330-1393 **23,425**
- Turakhia MP, Blankestijn PJ, Carrero JJ, Clase CM, Deo R, Herzog CA, Kasner SE, Passman RS, Pecoits-Filho R, **Reinecke H**, Shroff GR, Zareba W, Cheung M, Wheeler DC, Winkelmayer WC, Wanner C; Conference Participants. Chronic kidney disease and arrhythmias: conclusions from a Kidney Disease: Improving Global Outcomes (KDIGO) Controversies Conference. *Eur Heart J* 2018;39(24):2314-2325. **23,425**
- Gebauer K, Reinecke H**. PCSK9 inhibition for LDL lowering and beyond: implications for patients with peripheral artery disease. *Vasa* 2018;47(3):165-176. **1,210**
- Freisinger E, Malyar NM, Reinecke H**, Unrath M. Low rate of revascularization procedures and poor prognosis particularly in male patients with peripheral artery disease – A propensity score matched analysis. *Int J Cardiol* 2018;255:188-194. **4,034**
- Kaier K, **Reinecke H**, Naci H, Frankenstein L, Bode M, Vach W, Hehn P, Zirlik A, Zehender M, Reinöhl J. The impact of post-procedural complications on reimbursement, length of stay and mechanical ventilation among patients undergoing transcatheter aortic valve implantation in Germany. *Eur J Health Econ* 2018;19(2):223-228. **2,601**
- Stausberg J, Pollex-Krüger A, Semler SC, Vogel U, **Reinecke H**. Field tests for the beta version of the ICD-11-MMS in Germany: background and methods. *Bundesgesundheitsblatt Gesundheitsforschung Gesundheitsschutz* 2018;61(7):836-844. **0,901**
- Blödt K, **Freisinger E**. Some is better than none! Association of physical activity pattern and mortality. *Vasa* 2018;47(3)247. **1,210**

- 2017 -

- Engelbertz C, Reinecke H**, Breithardt G, Schmieder RE, Fobker M, Fischer D, Schmitz B, Pinnschmidt HO, Wegscheider K, Pavenstädt H, Brand E. Two-year outcome and risk factors for mortality in patients with coronary artery disease and renal failure: The prospective, observational CAD-REF Registry. *Int J Cardiol* 2017;243:65-72. **4,034**

Malyar NM, Kaier K, Freisinger E, Lüders F, Kaleschke G, Baumgartner H, Frankenstein L, Reinecke H, Reinöhl J. Prevalence and Impact of Critical Limb Ischemia on In-Hospital Outcome in Transcatheter Aortic Valve Implantation in Germany. <i>EuroIntervention</i> 2017;13(11):1281-1287.	4,417
Gutmann A, Kaier K, Reinecke H , Frankenstein L, Zirlik A, Bothe W, von Zur Mühlen C, Zehender M, Reinöhl J, Bode C, Stachon P. Impact of pulmonary hypertension on in-hospital outcome after surgical or transcatheter aortic valve replacement. <i>EuroIntervention</i> 2017;13(7):804-810.	4,417
Freisinger E, Malyar NM, Reinecke H, Lawall H. Impact of diabetes on outcome in critical limb ischemia with tissue loss: a large-scaled routine data analysis. <i>Cardiovasc Diabetol</i> 2017;16(1):41.	5,235
Malyar NM, Stausberg J, Ito WD, Köble H, Langhoff R, Lawall H, Lichtenberg M, Stegemann J, Treitl M, Weiss N, Hoffmann U. Rationale and design of the RECORDing COurses of vasculaR Diseases registry (RECCORD registry). <i>Vasa</i> 2017;46(4):262-267.	1,210
Kröger K, Berg C, Santosa F, Malyar N, Reinecke H. Lower Limb Amputation in Germany. <i>Dtsch Arztebl Int</i> 2017;114(7):130-136.	3,890
Lüders F, Kaier K, Kaleschke G, Gebauer K, Meyborg M, Malyar NM, Freisinger E, Baumgartner H, Reinecke H, Reinöhl J. Association of CKD with Outcomes Among Patients Undergoing Transcatheter Aortic Valve Implantation. <i>Clin J Am Soc Nephrol</i> 2017;12(5):718-726.	5,835
Kaier K, Reinecke H , Schmoor C, Frankenstein L, Vach W, Hehn P, Zirlik A, Bode C, Zehender M, Reinöhl J. Learning Curves Among All Patients Undergoing Transcatheter Aortic Valve Implantation in Germany: A Retrospective Observational Study. <i>Int J Cardiol</i> 2017;235:17-21.	4,034
Freisinger E, Reinecke H. Adherence to medication - underutilized therapeutic potential. <i>Vasa</i> 2017;46(1):69.	1,210
Lüders F, Fürstenberg T, Engelbertz C, Gebauer K, Meyborg M, Malyar NM, Reinecke H. The Impact of Chronic Kidney Disease on Hospitalized Patients With Peripheral Arterial Disease and Critical Limb Ischemia. <i>Angiology</i> 2017;68(2):145-150.	3,022
Barth S, Zacher M, Reinecke H , Hautmann MB, Kerber S, Gietzen F, Halbfass P, Schade A, Deneke T, Schieffer B, Hamm K. Decreasing incidence of coronary heart disease in extreme obesity (BMI≥40)-A single centre experience. <i>Obes Res Clin Pract.</i> 2017;11(4):435-444..	2,153
- 2016 -	
Reuter S, Reiermann S, Malyar V, Schütte-Nütgen K, Schmidt R, Pavenstädt H, Reinecke H , Suwelack B. A Comparison of Different Algorithms for the Assessment of Cardiovascular Risk in Patients at Waiting List for Kidney Transplantation. <i>PLoS One</i> 2016;11:e0161927.	2,806
Reinöhl J, Kaier K, Reinecke H , Frankenstein L, Zirlik A, Zehender M, von Zur Mühlen C, Bode C, Stachon P. Transcatheter Aortic Valve Replacement: The New Standard in Patients With Previous Coronary Bypass Grafting? <i>JACC Cardiovasc Interv</i> 2016;9:2137-2143.	8,841

Skonetzki S, Lüders F, Engelbertz C, Malyar NM, Freisinger E, Meyborg M, Reinecke H. Aging and Outcome in Patients With Peripheral Artery Disease and Critical Limb Ischemia. <i>J Am Med Dir Assoc</i> 2016;17:927-932.	5,775
Malyar NM, Freisinger E, Meyborg M, Lüders F, Fürstenberg T, Kröger K, Torsello G, Reinecke H. Low Rates of Revascularization and High In-Hospital Mortality in Patients With Ischemic Lower Limb Amputation: Morbidity and Mortality of Ischemic Amputation. <i>Angiology</i> 2016;67:860-869.	3,085
Engelbertz C, Brand E, Fobker M, Fischer D, Pavenstädt H, Reinecke H. Elevated copeptin is a prognostic factor for mortality even in patients with renal dysfunction. <i>Int J Cardiol</i> 2016;221:327-332.	6,189
Broich EM, Reinecke H, Malyar NM, Meyborg M, Gebauer K. Long-term mortality after invasive diagnostic and endovascular revascularization in PAD patients. <i>Int Angiol</i> 2016;35:516-525.	1,370
Malyar NM, Freisinger E, Meyborg M, Lüders F, Gebauer K, Reinecke H, Lawall H. Amputations and mortality in in-hospital treated patients with peripheral artery disease and diabetic foot syndrome. <i>J Diabetes Complications</i> 2016;30:1117-1122.	2,734
Gebauer K, Engelbertz C, Malyar NM, Meyborg M, Lüders F, Freisinger E, Reinecke H. Long-Term Mortality After Invasive Angiography and Endovascular Revascularization in Patients With PAD Having Chronic Kidney Disease. <i>Angiology</i> 2016;67:556-564.	3,085
Reinecke H, Donas KP. Endovascular or open repair of ruptured abdominal aortic aneurysms. <i>Vasa</i> 2016;45:342.	1,242
Freisinger E, Malyar NM, Reinecke H. Peripheral artery disease is associated with high in-hospital mortality particularly in males with acute myocardial infarction in a nationwide real-world setting. <i>Vasa</i> 2016;45:169-174.	1,242
Pütter C, Stausberg J, von Beckerath O, Reinecke H, Schäfer E, Kröger K. Determinants of decreasing major amputation rates in Germany. <i>Vasa</i> 2016;45:311-315.	1,242
Fischer AJ, Freisinger E. To anticoagulate or not to anticoagulate? – New insights into a common question. <i>Vasa</i> 2016;45:186.	1,242
Reinecke H, Reinecke H, Reinecke H, Reinecke H. Stem cell therapy in end-stage cardiovascular disease: the final nail in the coffin or still some light at the end of the tunnel? <i>Vasa</i> 2016;45:260.	1,242
Lüders F, Engelbertz C, Meyborg M, Freisinger E, Malyar NM, Zeller T, Reinecke H. Acute and chronic anemia and short- and long-term outcome of patients with peripheral arterial disease and critical limb ischemia. <i>Eur J Intern Med</i> 2016;31:62-67.	2,960
Meyborg M, Abdi-Tabari Z, Hoffmeier A, Engelbertz C, Lüders F, Freisinger E, Malyar NM, Martens S, Reinecke H. Outcome of patients with reduced ankle brachial index undergoing open heart surgery with cardiopulmonary bypass. <i>Eur J Cardiothorac Surg</i> 2016;49:1457-1461.	3,759
Reinöhl J, Reinecke H, Zehender M. Transcatheter Aortic-Valve Replacement in Clinical Practice. <i>N Engl J Med</i> 2016;374:1691-1692.	72,406

- De Torres-Alba F, Kaleschke G, Diller GP, Vormbrock J, Orwat S, Radke R, Reinke F, Fischer D, **Reinecke H**, Baumgartner H. Changes in the Pacemaker Rate After Transition From Edwards SAPIEN XT to SAPIEN 3 Transcatheter Aortic Valve Implantation: The Critical Role of Valve Implantation Height. *JACC Cardiovasc Interv* 2016;9:805-813. **8,512**
- Fabritz L, Guasch E, Antoniades C, Bardinet I, Benninger G, Betts TR, Brand E, Breithardt G, Bucklar-Suchankova G, Camm AJ, Cartlidge D, Casadei B, Chua WW, Crijns HJ, Deeks J, Hatem S, Hidden-Lucet F, Käab S, Maniadakis N, Martin S, Mont L, **Reinecke H**, Sinner MF, Schotten U, Southwood T, Stoll M, Vardas P, Wakili R, West A, Ziegler A, Kirchhof P. Expert consensus document: Defining the major health modifiers causing atrial fibrillation: a roadmap to underpin personalized prevention and treatment. *Nat Rev Cardiol* 2016;13:230-237. **14,299**
- Lüders F**, Bunzemeier H, **Engelbertz C**, **Malyar NM**, **Meyborg M**, Roeder N, Berger K, **Reinecke H**. CKD and Acute and Long-Term Outcome of Patients with Peripheral Artery Disease and Critical Limb Ischemia. *Clin J Am Soc Nephrol* 2016;11:216-222. **4,780**
- Reinecke H**, Breithardt G, **Engelbertz C**, Schmieder RE, Fobker M, Pinnschmidt HO, Schmitz B, Bruland P, Wegscheider K, Pavenstädt H, Brand E. Baseline Characteristics and Prescription Patterns of Standard Drugs in Patients with Angiographically Determined Coronary Artery Disease and Renal Failure (CAD-REF Registry). *PLoS One* 2016;11:e0148057. **2,806**
- Papke K, **Reinecke H**. Pushing the limits of endovascular intervention: favourable results of recent intracranial trials. *Vasa* 2016;45:71. **1,242**
- Meyer A, Lang W, Borowski M, Torsello G, Bisdas T; CRITISCH collaborators (**Reinecke H** etc.). In-hospital outcomes in patients with critical limb ischemia and end-stage renal disease after revascularization. *J Vasc Surg* 2016;63:966-973. **3,536**
- Wasmer K, **Reinecke H**. Response to the letter regarding article "Atrial fibrillation is a risk marker for worse in-hospital and long-term outcome in patients with peripheral artery disease". *Int J Cardiol* 2016;203:519. **6,189**
- Kirchhof P, Breithardt G, Bax J, Benninger G, Blomstrom-Lundqvist C, Boriani G, Brandes A, Brown H, Brueckmann M, Calkins H, Calvert M, Christoffels V, Crijns H, Dobrev D, Ellinor P, Fabritz L, Fetsch T, Freedman SB, Gerth A, Goette A, Guasch E, Hack G, Haegeli L, Hatem S, Haeusler KG, Heidbüchel H, Heinrich-Nols J, Hidden-Lucet F, Hindricks G, Juul-Möller S, Käab S, Kappenberger L, Kespohl S, Kotecha D, Lane DA, Leute A, Lewalter T, Meyer R, Mont L, Münzel F, Nabauer M, Nielsen JC, Oeff M, Oldgren J, Oto A, Piccini JP, Pilmeyer A, Potpara T, Ravens U, **Reinecke H**, Rostock T, Rustige J, Savelieva I, Schnabel R, Schotten U, Schwichtenberg L, Sinner MF, Steinbeck G, Stoll M, Tavazzi L, Themistoclakis S, Tse HF, Van Gelder IC, Vardas PE, Varpula T, Vincent A, Werring D, Willems S, Ziegler A, Lip GY, Camm AJ. A roadmap to improve the quality of atrial fibrillation management: proceedings from the fifth Atrial Fibrillation Network/European Heart Rhythm Association consensus conference. *Europace* 2016;18:37-50. **4,530**
- 2015 -**
- Reinöhl J, Kaier K, **Reinecke H**, Schmoor C, Frankenstein L, Vach W, Cribier A, Beyersdorf F, Bode C, Zehender M. Effect of Availability of Transcatheter Aortic Valve Replacement on Clinical Practice. *N Engl J Med* 2015;373:2438-2447. **59,558**

Lawall H, Diehm C, Hoffmann U, Reinecke H . Update PAVK: Epidemiology, comorbidity and prognosis of peripheral arterial obstructive disease. <i>Dtsch Med Wochenschr</i> 2015;140:1798-1802.	0,503
Pütter C, von Beckerath O, Sobik HM, Reinecke H , Stausberg J, Kröger K. Prescription of enoxaparin is associated with decreasing pulmonary embolism mortality rate in Germany. <i>J Thromb Thrombolysis</i> 2015;40:468-473.	1,884
Lüders F, Malyar NM, Meyborg M, Reinecke H . The Preinterventional Cystatin-Creatinine-Ratio: A Prognostic Marker for Contrast Medium-Induced Acute Kidney Injury and Long-Term All-Cause Mortality. <i>Nephron</i> 2015;131:59-65.	—
Wasmer K, Unrath M, Köbe J, Malyar NM, Freisinger E, Meyborg M , Breithardt G, Eckhardt L, Reinecke H . Atrial fibrillation is a risk marker for worse in-hospital and long-term outcome in patients with peripheral artery disease. <i>Int J Cardiol</i> 2015;199:223-228.	4,683
Malyar NM, Reinecke H, Freisinger E . Restenosis after endovascular revascularization in peripheral artery disease. <i>Vasa</i> 2015;44:257-270.	1,122
Freisinger E, Reinecke H . High amputation rates and mortality - is critical limb ischemia still a losing game? <i>Vasa</i> 2015;44:325.	1,122
Meyborg M, Engelbertz C, Lüders F, Gebauer K, Malyar NM, Reinecke H . Acute and mid-term outcomes after treatment of multiple, recurrent restenoses of the lower limb arteries. <i>Int Angiol</i> 2015;34:283-289.	0,899
Lüders F, Reinecke H . Gefäßerkrankungen und –komplikationen im Rahmen von Herzoperationen. <i>Zeitschrift für Herz- Thorax- und Gefäßchirurgie</i> 2015;6:29.	—
Lüders F . Chronic kidney disease and atrial fibrillation: data from the German Competence Network Atrial Fibrillation. <i>NephroNews</i> edition 6/15 2015.	—
Di Marco GS, Kentrup D, Reuter S, Mayer AB, Golle L, Tiemann K, Fobker M, Engelbertz C , Breithardt G, Brand E, Reinecke H , Pavenstädt H, Brand M. Soluble Flt-1 links microvascular disease with heart failure in CKD. <i>Basic Res Cardiol</i> 2015;110:30.	6,008
Freisinger E, Reinecke H . Benefits from invasive treatment in intermittent claudication: It is definitely not IRONIC! <i>Vasa</i> 2015;44:240.	1,122
Reinecke H , Unrath M, Freisinger E , Bunzemeier H, Meyborg M, Lüders F, Gebauer K , Roeder N, Berger K, Malyar NM . Peripheral arterial disease and critical limb ischemia: still poor outcomes and lack of guideline adherence. <i>Eur Heart J</i> 2015;36:932-938.	15,064
Freisinger E, Reinecke H . Systemic thrombolysis in pulmonary embolism - another paradigm falling? <i>Vasa</i> 2015;44:156.	1,122
Hüsing A, Reinecke H , Cicinnati VR, Beckebaum S, Wilms C, Schmidt HH, Kabar I. Paclitaxel-eluting balloon dilation of biliary anastomotic stricture after liver transplantation. <i>World J Gastroenterol</i> 2015;21:977-981.	2,369
Reinecke H , Nabauer M, Gerth A, Limbourg T, Reszl A, Engelbertz C , Eckardt L, Kirchhof P, Wegscheider K, Ravens U, Meinertz T, Steinbeck G, Breithardt G; AFNET Study Group. Morbidity and treatment in patients with atrial fibrillation and chronic kidney disease. <i>Kidney Int</i> 2015;87:200-209.	7,683
Samol A, Kaese S, Bloch J, Görlich D, Peters G, Waltenberger J, Baumgartner H, Reinecke H , Lebiez P. Infective endocarditis on ICU: risk factors, outcome and long-term follow-up. <i>Infection</i> 2015;43:287-295.	2,294

Bisdas T, Borowski M, Torsello G; First-Line Treatments in Patients With Critical Limb Ischemia (CRITISCH) Collaborators (**Reinecke H** etc.). Current practice of first-line treatment strategies in patients with critical limb ischemia. *J Vasc Surg* 2015;62:965-973. **3,454**

Czihal M, **Reinecke H**. The benefit of D-Dimer testing to decide on stopping anticoagulation after a first unprovoked VTE: a matter of sex or of test sensitivity? *Vasa* 2015;44:399. **1,122**

- 2014 -

Malyar NM, Radtke S, Malyar K, Arjumand J, Horn PA, Kröger K, **Freisinger E**, **Reinecke H**, Giebel B, Brock FE. Autologous bone marrow mononuclear cell therapy improves symptoms in patients with end-stage peripheral arterial disease and reduces inflammation-associated parameters. *Cytotherapy* 2014;16:1270-1279. **3,293**

Weber K, **Gebauer K**, **Lüders F**, **Meyborg M**, **Malyar NM**, Goerge T, **Reinecke H**. Micro-lightguide spectrophotometry (O2C®) as a predictor of intermediate outcome in patients with critical limb ischemia after percutaneous transluminal angioplasty (PTA). *Int Angiol* 2014;33:518-529. **0,833**

Lüders F, Doku A, **Malyar NM**, **Reinecke H**. Endovascular Management of a Periinterventional Crural Pseudoaneurysm – A Case Report and Review of Literature. *International Journal of Case Reports in Medicine*. doi: 10.5171/2014.232740. —

Paul M, **Meyborg M**, Boknik P, Gergs U, Gerss J, Schmitz W, Breithardt G, Wichter T, Neumann J. Autonomic dysfunction in patients with arrhythmogenic right ventricular cardiomyopathy: biochemical evidence of altered signaling pathways. *Pacing Clin Electrophysiol* 2014;37:173-178. **1,129**

Freisinger E, Fuerstenberg T, **Malyar NM**, Wellmann J, Keil U, Breithardt G, **Reinecke H**. German nationwide data on current trends and management of acute myocardial infarction: discrepancies between trials and real-life. *Eur Heart J* 2014;35:979-988. **15,203**

Lüders F. Preinterventional Cystatin C: A Highly Prognostic Marker for All-Cause Mortality after Coronarography. *Advances in Nephrology*, vol. 2014, Article ID 510209, 6 pages, 2014. doi:10.1155/2014/510209. —

Lebiedz P, Knickel L, **Engelbertz C**, **Lüders F**, **Gebauer K**, Berdel WE, Waltenberger J, **Reinecke H**. Impact of preexisting chronic kidney disease on acute and long-term outcome of critically ill patients on a medical intensive care unit. *J Nephrol* 2014;27:73-80. **1,454**

- 2013 -

Malyar NM, Fürstenberg T, Wellmann J, **Meyborg M**, **Lüders F**, **Gebauer K**, Bunzemeier H, Roeder N, **Reinecke H**. Recent trends in morbidity and in-hospital outcomes of in-patients with peripheral arterial disease: a nationwide population-based analysis. *Eur Heart J* 2013;34:2706-2714. **14,723**

Brand E, Pavenstädt H, Schmieder RE, **Engelbertz C**, Fobker M, Pinnschmidt HO, Wegscheider K, Breithardt G, **Reinecke H**. The Coronary Artery Disease and Renal Failure (CAD-REF) registry: Trial design, methods, and aims. *Am Heart J* 2013;166:449-456. **4,555**

Reinecke H, Engelbertz C, Schäbitz W-R. Preventing Stroke in Patients with Chronic Kidney Disease and Atrial Fibrillation. <i>Stroke</i> 2013;44:2935-2941.	6,018
Secco GG, Rittger H, Hoffmann S, Richardt G, Abdel-Wahab M, Reinecke H , Lotan C, Werner G, Sievert H, Foin N, Di Mario C. The glider registry: A prospective multicentre registry of a new ultrashort dedicated balloon for side-branch ostial dilatation. <i>Catheter Cardiovasc Interv</i> 2013 doi:10.1002/ccd.25040.	2,396
Kempny A, Diller GP, Kaleschke G, Orwat S, Funke A, Schmidt R, Kerckhoff G, Ghezelbash F, Rukosujew A, Reinecke H , Scheld HH, Baumgartner H. Impact of transcatheter aortic valve implantation or surgical aortic valve replacement on right ventricular function – the reply. <i>Heart</i> 2013;99:349.	6,023
Samol A, Masin M, Gellner R, Otte B, Pavenstädt HJ, Ringelstein EB, Reinecke H , Waltenberger J, Kirchhof P. Prevalence of unknown atrial fibrillation in patients with risk factors. <i>Europace</i> 2013;15:657-662.	3,050
Afzali D, Erren M, Pavenstädt HJ, Vollert JO, Hertel S, Waltenberger J, Reinecke H , Lebedz P. Impact of copeptin on diagnosis, risk stratification, and intermediate-term prognosis of acute coronary syndromes. <i>Clin Res Cardiol</i> 2013;102:755-763.	4,167
Kempny A, Diller GP, Kaleschke G, Orwat S, Funke A, Radke R, Schmidt R, Kerckhoff G, Ghezelbash F, Rukosujew A, Reinecke H , Scheld HH, Baumgartner H. Longitudinal left ventricular 2D strain is superior to ejection fraction in predicting myocardial recovery and symptomatic improvement after aortic valve implantation. <i>Int J Cardiol</i> 2013;167:2239-2243.	6,175
- 2012 -	
Kabar I, Cicinnati VR, Beckebaum S, Cordesmeyer S, Avsar Y, Reinecke H , Schmidt HH. Use of paclitaxel-eluting balloons for endotherapy of anastomotic strictures following liver transplantation. <i>Endoscopy</i> 2012;44:1158-1160.	5,735
Gebauer K , Diller GP, Kaleschke G, Kerckhoff G, Malyar N, Meyborg M, Reinecke H , Baumgartner H. The risk of acute kidney injury and its impact on 30-day and long-term mortality after transcatheter aortic valve implantation. <i>Int J Nephrol</i> 2012;2012:483748.	—
Razlaf P, Pabst D, Mohr M, Kessler T, Wiewrodt R, Stelljes M, Reinecke H , Waltenberger J, Berdel WE, Lebedz P. Non-invasive ventilation in immunosuppressed patients with pneumonia and extrapulmonary sepsis. <i>Respir Med</i> 2012;106:1509-1516.	2,585
Malyar NM, Meyborg M, Reinecke H. Letter by Malyar et al Regarding Article, "Supervised Exercise Versus Primary Stenting for Claudication Resulting From Aortoiliac Peripheral Artery Disease: Six-Month Outcomes From the Claudication: Exercise Versus Endoluminal Revascularization (CLEVER) Study". <i>Circulation</i> 2012;126:e101.	15,202
Lüders F, Malyar N, Meyborg M, Gebauer K, Brand E, Reinecke H. Impact of peripheral arterial occlusive disease on the development of contrast medium-induced acute kidney injury. <i>Nephron Clin Pract</i> 2012;122:38-43.	1,652
Lebedz P, Glasmeyer S, Hilker E, Yilmaz-Neuhaus A, Karaboutas T, Reinecke H , Sibrowski W, Nofer J. Influence of Red Blood Cell Storage Time on Clinical Course and Cytokine Profile in Septic Shock Patients. <i>Transfus Med Hemother</i> 2012;39:271–276.	1,590

Kabar I, Cicinnati VR, Beckebaum S, Cordesmeyer S, Reinecke H , Schmidt H. Introducing Paclitaxel-Eluting balloons as a new treatment option of biliary-enteric anastomotic stricture after liver transplantation. <i>Transplantation</i> 2012;94:e4-5.	3,781
Kempny A, Diller GP, Kaleschke G, Orwat S, Funke A, Schmidt R, Kerckhoff G, Ghezelbash F, Rukosujew A, Reinecke H , Scheld H, Baumgartner H. Impact of transcatheter aortic valve implantation or surgical aortic valve replacement on right ventricular function on echocardiography. <i>Heart</i> 2012;98:1299-1304.	5,014
EINSTEIN-PE Investigators (Malyar NM , etc.), Büller HR, Prins MH, Lensin AW, Decousus H, Jacobson BF, Minar E, Chlumsky J, Verhamme P, Wells P, Agnelli G, Cohen A, Berkowitz SD, Bounameaux H, Davidson BL, Misselwitz F, Gallus AS, Raskob GE, Schellong S, Segers A. Oral Rivaroxaban for the treatment of symptomatic pulmonary embolism. <i>N Engl J Med</i> 2012;366:1287-1297.	51,658
Engelbertz C, Reinecke H . Atrial Fibrillation and Oral Anticoagulation in Chronic Kidney Disease. <i>JAFIB</i> 2012;2:1-12.	—
Malyar NM , Kaleschke G, Reinecke H . Thrombotic Occlusion of Crural Arteries Following Transcatheter Aortic Valve Implantation - Successful Endovascular Recanalization Using a Thrombus Aspiration Device. <i>Vasa</i> 2012;41:225-228.	1,009
Lebiedz P, Meiners J, Samol A, Wasmer K, Reinecke H , Waltenberger J, Eckardt L. Electrocardiographic changes during therapeutic hypothermia. <i>Resuscitation</i> 2012;83:602-606.	4,104
Malyar NM , Brock FE. Giant Subclavian Artery Pseudoaneurysm Following Pleural Drainage Puncture. <i>Circulation</i> 2012;125:365-366.	15,202
Prugger C, Heidrich J, Wellmann J, Dittrich R, Brand SM, Telgmann R, Breithardt G, Reinecke H , Scheld H, Kleine-Katthöfer P, Heuschmann PU, Keil U. Outcomes of trends in Cardiovascular Risk Factors among patients with coronary heart disease: Results from the EUROASPIRE I, II and III surveys in the Münster region. <i>Dtsch Arztebl Int</i> 2012;109:303-310.	3,542
- 2011 -	
Kirchhof P, Reinecke H . Endovascular extraction of a coronary stent: resolution of a cathlab nightmare. <i>EuroIntervention</i> 2011;7:1008.	3,285
Mahfoud F, Vonend O, Bruck H, Clasen W, Eckert S, Frye B, Haller H, Hausberg M, Hoppe UC, Hoyer J, Hahn K, Keller T, Krämer BK, Kreutz R, Potthoff SA, Reinecke H , Schmieder R, Schwenger V, Kintscher U, Böhm M, Rump LC; Arbeitsgemeinschaft Herz und Niere der Deutschen Gesellschaft für Nephrologie eV sowie der Deutschen Hochdruckligeev DHL – Deutsche Gesellschaft für Hypertonie und Prävention. Expert consensus statement on interventional renal sympathetic denervation for hypertension treatment. <i>Dtsch Med Wochenschr</i> 2011;136:2418.	0,528
Kaya E, Cuneo A, Hochadel M, Jünger C, Stepper W, Bramlage P, Kuck KH, Nienaber CA, Senges J, Eckardt L, Tebbe U, Reinecke H . Impact of chronic kidney disease the prognosis of patients undergoing percutaneous coronary interventions using drug-eluting stents. <i>Clin Res Cardiol</i> 2011;100:1103-1109.	2,950
Malyar NM , Lerman LO, Gössl M, Beighley PE, Ritman EL. Relationship between Surface Area of Nonperfused Myocardium and Extravascular Extraction of Contrast Agent following Coronary Microembolization. <i>Am J Physiol Regul Integr Comp Physiol</i> 2011;301:430-437.	3,336

Schäbitz WR, Reinecke H . Chronic kidney disease and alcohol consumption: are asians at particular risk for hemorrhagic stroke? <i>Stroke</i> 2011;42:2385-2386.	5,729
Gebauer K . TAVI: weniger vaskuläre Komplikationen. <i>Cardio News</i> 2011/04.	—
Mönnig G, Reinecke H , Eckardt L. Loss of the tip of a transseptal needle in the heart. <i>Eur Heart J</i> 2011;32:2049.	10,478
Villard E, Perret C, Gary F, Proust C, Dilanian G, Hengstenberg C, Ruppert V, Arbustini E, Wichter T, Germain M, Dubourg O, Tavazzi L, Aumont MC, Degroote P, Fauchier L, Trochu JN, Gibelin P, Aupetit JF, Stark K, Erdmann J, Hetzer R, Roberts AM, Barton PJ, Reglitz-Zagrosek V, Cardiogenics Consortium, Aslam U, Duboscq-Bidot L, Meyborg M , Madeira H, Waldenström A, Galve E, Cleland JG, Dorent R, Roizes G, Zeller T, Blankenberg S, Goodall AH, Cook S, Tregouet DA, Tired L, Isnard R, Komajda M, Charron P, Cambien F. A genome-wide association study identifies two loci associated with heart failure due to dilated cardiomyopathy. <i>Eur Heart J</i> 2011;32:1065-1076.	10,478
Paul M, Meyborg M , Boknik P, Gergs U, Schmitz W, Breithardt G, Wichter T, Neumann J. Autonomic Dysfunction in Patients with Brugada Syndrome: Further Biochemical Evidence of Altered Signaling Pathways. <i>Pacing Clin Electrophysiol</i> 2011;34:1147-1153.	1,351
Nazari-Shafti TZ, Freisinger E , Roy U, Bulot CT, Senst C, Dupin CL, Chaffin AE, Srivastava SK, Mondal D, Alt EU, Izadpanah R. Mesenchymal stem cell derived hematopoietic cells are permissive to HIV-1 infection. <i>Retrovirology</i> 2011;8:3.	6,470
- 2010 -	
Meyborg M, Reinecke H . Rekanalisation langstreckiger Verschlüsse der femoropoplitealen Strombahn mithilfe des OutbackTM-Katheters. Eine Alternative in „hoffnungslosen“ Fällen. <i>Vasomed</i> 2010;22201:210-213.	—
Akin I, Bufe A, Eckardt L, Reinecke H , Senges J, Richardt G, Kuck KH, Schneider S, Nienaber CA; DES.DE Study Group. Comparison of outcomes in patients with insulin-dependent versus non-insulin dependent diabetes mellitus receiving drug-eluting stents (from the first phase of the prospective multicenter German DES.DE registry). <i>Am J Cardiol</i> 2010;106:1201-1207.	3,680
Heitmeyer C, Hölscher B, Fobker M, Breithardt G, Hausberg M, Reinecke H . Prognostic value of different laboratory measures of renal function for long-term mortality after contrast media-associated renal impairment. <i>Clin Cardiol</i> 2010;33:E51-59.	1,807
Lebiedz P, Suca A, Gümüs E, Radke RM, Kaya E, Hilker E, Reinecke H . 7-year survey after percutaneous dilatational tracheotomy on a medical intensive care unit. <i>J Investig Med</i> 2010;58:977-981.	1,536
Akin I, Bufe A, Eckardt L, Reinecke H , Richardt G, Kuck KH, Senges J, Schneider S, Nienaber CA; DES.DE Study Group. Outcomes after differential use of drug-eluting stents in diabetic patients: 1-year results from the DES.DE(Drug-Eluting Stent.DEutschland) registry. <i>Catheter Cardiovasc Interv</i> 2010;76:50-57.	2,398
Kiski D, Stepper W, Breithardt G, Reinecke H . Impact of female gender on frequency of contrast medium-induced nephropathy: post hoc analysis of dialysis versus diuresis trial. <i>J Womens Health</i> 2010;19:1363-1368.	1,454
Kiski D, Reinecke H . Heart and kidneys. <i>Internist</i> 2010;51:850-856.	0,348

Akin I, Bufe A, Schneider S, Reinecke H , Eckardt L, Richardt G, Burska D, Senges J, Kuck KH, Nienaber CA. Clinical outcomes in diabetic and non-diabetic patients with drug-eluting stents: results from the first phase of the prospective multicenter German DES.DE registry. <i>Clin Res Cardiol</i> 2010;99:393-400.	3,466
Freisinger E , Cramer C, Xia X, Murthy SN, Slakey DP, Chiu E, Newsome ER, Alt EU, Izadpanah R. Characterization of hematopoietic potential of mesenchymal stem cells. <i>J Cell Physiol</i> 2010;225:888-897.	3,986
Franz D, Bunzemeier H, Roeder N, Reinecke H . The German DRG system 2003-2010 from the perspective of intensive care medicine. <i>Med Klin</i> 2010;105:13-19.	0,447
Cramer C, Freisinger E , Jones RK, Slakey DP, Dupin CL, Newsome ER, Alt EU, Izadpanah R. Persistent high glucose concentrations alter the regenerative potential of mesenchymal stem cells. <i>Stem Cells Dev</i> 2010;19:1875-1884.	4,791
Kiski D, Stepper W, Brand E, Breithardt G, Reinecke H . Impact of renin-angiotensin-aldosterone blockade by angiotensin-converting enzyme inhibitors or AT-1 blockers on frequency of contrast medium-induced nephropathy: a post-hoc analysis from the Dialysis-versus-Diuresis (DVD) trial. <i>Nephrol Dial Transplant</i> 2010;25:759-764.	3,564
Kaleschke G, Seifarth H, Kerckhoff G, Reinecke H , Baumgartner H. Imaging decision-making for transfemoral or transapical approach of transcatheter aortic valve implantation. <i>EuroIntervention</i> 2010;6 Suppl G:G20-27.	—
- 2009 -	
Reinecke H , Brand E, Mesters R, Schäbitz WR, Fisher M, Pavenstädt H, Breithardt G. Dilemmas in the management of atrial fibrillation in chronic kidney disease. <i>J Am Soc Nephrol</i> 2009;20:705-711.	7,689
Fiori W, Brüning K, Bunzemeier H, Reinecke H , Roeder N. Ist die Vergütung für Kurz- und Langlieger im G-DRG-System sachgerecht und sinnvoll? <i>Das Krankenhaus</i> 2009;5:445-458.	—
Malyar NM , Piotrowski AJ, Erbel R, Schmitz KJ. Images in cardiothoracic surgery. Giant right atrial mass: intracardiac extension of intravenous leiomyoma 18 years after hysterectomy. <i>Ann Thorac Surg</i> 2009;88:684.	3,644
Lüders F , Fischbach R, Seifarth H, Wessling J, Heindel W, Juergens KU. Dual-source computed tomography: effect on regional and global left ventricular function assessment compared to magnetic resonance imaging. <i>Rofa</i> 2009;181:962-969.	2,025
- 2008 -	
Hölscher B, Heitmeyer C, Fobker M, Breithardt G, Schaefer RM, Reinecke H . Predictors for contrast media-induced nephropathy, and long-term survival: prospectively assessed data from the randomized controlled Dialysis-versus-Diuresis-(DVD)-Trial. <i>Can J Cardiol</i> 2008;24:845-850.	1,796
Pohlen M, Bunzemeier H, Husemann W, Roeder N, Breithardt G, Reinecke H . Risk predictors of adverse outcomes of percutaneous coronary interventions and their related costs. <i>Clin Res Cardiol</i> 2008;97:441-448.	2,418
Siebers L, Liedtke-Dyong A, Bunzemeier H; Reinecke H , Roeder N. Gastroenterology in the DRG-System 2008. <i>Med Klin</i> 2008;103:445-446.	0,451
Siebers L, Reinecke H , Bunzemeier H, Roeder N. Cardiology in the DRG-System 2008. <i>Med Klin</i> 2008;103:113-114.	0,451

Siebers L, Reinecke H , Bunzemeier H, Roeder N. DRG-System 2008 - Overview from the internistic view. <i>Med Klin</i> 2008;103:38-39.	0,451
Meyer A, Bunzemeier H, Hausberg M, Walter M, Roeder N, Breithardt G, Reinecke H . Impact of different stages of chronic kidney disease on in-hospital costs in patients with coronary heart disease: the 'price' of renal failure. <i>Nephrol Dialysis Transplant</i> 2008;23:1955-1960.	3,568
Hildebrandt HA, Goessl M, Mannheim D, Versari D, Herrmann J, Spendlove D, Bajanowski T, Malyar NM , Erbel R, Lerman LO, Lerman A. Differential distribution of vasovasorum in different vascular beds in humans. <i>Atherosclerosis</i> 2008;199:47-54.	4,601
Nikol S . Gene therapy of cardiovascular disease. <i>Curr Opin Mol Ther</i> 2008;10:479-492.	2,913
Fuchs AT, Kuehnl A, Pelisek J, Rolland PH, Mekkaoui C, Netz H, Nikol S . Meta-analysis shows similar risk of thrombosis after drug-eluting stent, bare-metal stent, or angioplasty. <i>Endothelium</i> 2008;15:93-100.	1,929
Fuchs AT, Kuehnl A, Pelisek J, Rolland PH, Mekkaoui C, Netz H, Nikol S . Inhibition of restenosis formation without compromising reendothelialization as a potential solution to thrombosis following angioplasty? <i>Endothelium</i> 2008;15:85-92.	1,929
Nikol S , Baumgartner I, Van Belle E, Diehm C, Visoná A, Capogrossi MC, Ferreira-Maldent N, Gallino A, Wyatt MG, Wijesinghe LD, Fusari M, Stephan D, Emmerich J, Pompilio G, Vermassen F, Pham E, Grek V, Coleman M, Meyer F; TALISMAN 201 investigators. Therapeutic angiogenesis with intramuscular NV1FGF improves amputation-free survival in patients with critical limb ischemia. <i>Mol Ther</i> 2008;16:972-978.	5,970
- 2007 -	
Bruch C, Reinecke H , Rothenburger M, Scheld HH, Whalley GA, Stypmann J, Breithardt G, Wichter T, Gradaus R. Transmitral Flow Patterns and the Presence of Chronic Kidney Disease Provide Independent and Incremental Prognostic Information in Patients with Heart Failure and Systolic Dysfunction. <i>J Am Soc Echocardiogr</i> 2007;20:989-97.	2,062
Reinecke H , Bunzemeier H, Roeder N, Fürstenberg T, Siebers L, Breithardt G, Steinbeck G. Leitlinienorientierte Behandlung von Patienten mit akutem Koronarsyndrom und ihre Abbildung im Deutschen Fallpauschalen-System 2007. <i>Der Kardiologe</i> 2007;11-17.	—
Husemann W, Fobker M, Pohlen M, Bruch C, Hausberg M, Breithardt G, Reinecke H . Impact of hemoglobin concentration and chronic kidney disease in patients with coronary heart disease undergoing percutaneous coronary interventions. <i>Nephrol Dialysis Transplant</i> 2007;22:2563-2570.	3,167
Bruch C, Kauling D, Reinecke H , Rothenburger M, Scheld HH, Breithardt G, Wichter T. Prevalence and prognostic impact of comorbidities in patients with severe aortic valve stenosis. <i>Clin Res Cardiol</i> 2007;96:23-29.	1,442
Reinecke H , Fobker M, Wellmann J, Becke B, Fleiter J, Heitmeyer C, Breithardt G, Hense HW, Schaefer RM. A randomized controlled trial comparing hydration therapy to additional hemodialysis or N-acetylcysteine for the prevention of contrast medium-induced nephropathy: The Dialysis-versus-Diuresis (DVD) Trial. <i>Clin Res Cardiol</i> 2007;96:130-139.	1,442
Malyar NM , Naber C, Erbel R. Angina during upper limb exercise: pathognomonic clinical feature of coronary-subclavian steal syndrome. <i>Heart</i> 2007;93:308.	4,141

Wedemeyer C, Xu J, Neuerburg C, Landgraeber S, Malyar NM , von Knoch F, Gosheger F, von Knoch M, Lör F, Saxler G. Particle-Induced Osteolysis in Three-Dimensional Micro-Computed Tomography. <i>Calcif Tissue Int</i> 2007;81:394-402.	2,435
Schlosser T, Malyar NM , Jochims M, Breuckmann F, Hunold P, Bruder O, Erbel R, Barkhausen J. Quantification of aortic valve stenosis in MRI-comparison of steady-state free precession and fast low-angle shot sequences. <i>Eur Radiol</i> 2007;17:1284-1290.	3,405
Erbel R, Böse D, Haude M, Kordish I, Churzidze S, Malyar NM , Konorza T, Sack S. Absorbable Coronary Stents. New Promising Technology? <i>Herz</i> 2007;32:308-319.	0,405
Malyar NM , Schlosser T, Barkhausen J, Guterson A, Buck T, Bartel T, Erbel R. Assessment of Aortic Valve Area in Aortic Stenosis Using Cardiac Magnetic Resonance Tomography: Comparison with Echocardiography. <i>Cardiology</i> 2007;109:126-134.	1,701
Kuhlmann MT, Klocke R, Nikol S . Therapeutic angiogenesis for peripheral artery disease: cytokine therapy. <i>Vasa</i> 2007;36:253-260.	0,505
Lachmann N, Nikol S . Therapeutic angiogenesis for peripheral artery disease: stem cell therapy. <i>Vasa</i> 2007;36:241-251.	0,505
Nikol S . Therapeutic angiogenesis for peripheral artery disease: gene therapy. <i>Vasa</i> 2007;36:165-173.	0,505
Golda A, Pelisek J, Klocke R, Engelmann MG, Rolland PH, Mekkaoui C, Nikol S . Small poly-L-lysines improve cationic lipid-mediated gene transfer in vascular cells in vitro and in vivo. <i>J Vasc Res</i> 2007;44:273-282.	2,463
- 2006 -	
Bruch C, Reinecke H , Stypmann J, Rothenburger M, Schmid C, Breithardt G, Wichter T, Gradaus R. N-terminal pro-brain natriuretic peptide, kidney disease and outcome in patients with chronic heart failure. <i>J Heart Lung Transplant</i> 2006;25:1135-1141.	2,830
Nikol S . Viral or non-viral angiogenesis gene transfer-New answers to old questions. <i>Cardiovasc Res</i> 2007;73:443-445.	5,826
Bode-Boger SM, Scalera F, Kielstein JT, Martens-Lobenhoffer J, Breithardt G, Fobker M, Reinecke H . Symmetrical dimethylarginine: a new combined parameter for renal function and extent of coronary artery disease. <i>J Am Soc Nephrol</i> 2006;17:1128-34.	7,371
Reinecke H , Bunzemeier H, Roeder N, Fürstenberg T, Breitgardt G, Steinbeck G. Reimbursement of patients with acute coronary syndromes in the German diagnosis related groups systems. Part 1: Basics and reimbursement in the case of conservative treatment. <i>Med Klin</i> 2006;101:915-916.	0,289
Bruch C, Reinecke H , Breithardt G. Natriuretic peptides, kidney disease and outcome in patients with chronic heart failure. <i>Eur Heart J</i> 2006;27:207.	7,286
Bruch C, Kauling D, Reinecke H . Comorbidities in severe aortic valve stenosis - do kidney disease, anemia or diabetes mellitus predict long-term outcome? <i>Eur Heart J</i> 2006;27:1:744-744.	7,286
Reinecke H , Van Aken H, Breithardt G. Cardiopulmonary resuscitation 2006: the "ABC" of resuscitation has to be respelled to "ACB". <i>Med Klin</i> 2006;101:6:485-497.	0,289

Klocke R, Hasib L, Nikol S . Recently patented applications of homologous cellular and extracellular agents as therapeutics or targets for the prevention of restenosis post-angioplasty. <i>Recent Pat Cardiovasc Drug Discov</i> 2006;1:57-66.	1,796
Schäbitz WR, Nikol S , Schneider A. Granulocyte colony-stimulating factor and acute myocardial infarction. <i>JAMA</i> 2006;296:1967-1968; author reply 1968-1969.	23,175
Tian W, Kuhlmann MT, Pelisek J, Scobioala S, Quang TH, Hasib L, Klocke R, Jahn UR, Nikol S . Paclitaxel delivered to adventitia attenuates neointima formation without compromising re-endothelialization after angioplasty in a porcine restenosis model. <i>J Endovasc Ther</i> 2006;13:616-629.	2,135
Pelisek J, Fuchs AT, Kuehnl A, Tian W, Kuhlmann MT, Rolland PH, Mekkaoui C, Gaedtke L, Nikol S . C-type natriuretic peptide for reduction of restenosis: gene transfer is superior over single peptide administration. <i>J Gene Med</i> 2006;8:835-44.	3,916
Deiner C, Schwimmbeck PL, Koehler IS, Loddenkemper C, Noutsias M, Nikol S , Schultheiss HP, Ylä-Herttuala S, Pels K. Adventitial VEGF165 gene transfer prevents lumen loss through induction of positive arterial remodeling after PTCA in porcine coronary arteries. <i>Atherosclerosis</i> 2006;189:123-132.	3,811
Kuhlmann MT, Kirchhof P, Klocke R, Hasib L, Stypmann J, Fabritz L, Stelljes M, Tian W, Zwiener M, Mueller M, Kienast J, Breithardt G, Nikol S . G-CSF/SCF reduces inducible arrhythmias in the infarcted heart potentially via increased connexin43 expression and arteriogenesis. <i>J Exp Med</i> 2006;203:87-97.	14,484
Malyar NM , Schlosser T, Buck T, Erbel R. Using Cardiac Magnetic Resonance Tomography for Assessment of Aortic Valve Area in Aortic Valve Stenosis. <i>Herz</i> 2006;31:650-657.	0,629
- 2005 -	
Reinecke H , Breithardt G. Prognostic implication of anemia on in-hospital outcomes after percutaneous coronary intervention. <i>Circulation</i> 2005;111:e263-4.	11,632
Reinecke H , Matzkies F, Fobker M, Breithardt G, Schaefer RM. Diabetic nephropathy, percutaneous coronary interventions, and blockade of the renin-angiotensin system. <i>Cardiology</i> 2005;104:24-30.	2,092
Rothenburger M, Hulsken G, Stypmann J, Wichter T, Tjan TD, Loher A, Hoffmeier A, Drees G, Etz C, Semik M, Schmidt Ch, Reinecke H , Schmid C, Scheld HH. Cardiothoracic surgery after heart and heart-lung transplantation. <i>Thorac Cardiovasc Surg</i> 2005;53:85-92.	0,935
Fürstenberg T, Bunzemeier H, Roeder N, Reinecke H . Cardiovascular medicine in the German diagnosis-related group (G-DRG) system 2005. <i>Zeitschrift für Kardiologie</i> 2005;94:5:360-370.	—
Sack S, Naber C, Kahlert P, Malyar NM , Guterson A, Eggebrecht H, Ley R, Jakob HG, Erbel R. Percutaneous heart valve implantation in the aortic position. <i>Herz</i> 2005;30:433-437.	0,952
Malyar NM , Janosi A, Brkovic Z, Erbel R. Large mobile thrombus in non-atherosclerotic thoracic aorta as the source of peripheral arterial embolism. <i>Thromb J</i> 2005;3:19.	—

- 2004 -

Schmid C, Etz C, Welp H, Rothenburger M, Reinecke H , Schafers M, Schmidt Ch, Scheld HH. Clinical situations demanding weaning from long-term ventricular assist devices. <i>Eur J Cardiothorac Surg</i> 2004;26:730-735.	1,616
Roeder N, Furstenberg T, Bunzemeier H, Reinecke H . Cardiovascular medicine in the updated German diagnosis-related groups (G-DRG) for the year 2004. <i>Zeitschrift für Kardiologie</i> 2004;93:4:266-277.	—
Roeder N, Fiori W, Bunzemeier H, Fürstenberg T, Hensen P, Loskamp N, Franz D, Glocker S, Wenke A, Reinecke H , Irps S, Rochell B, Borchelt M. G-DRG-System 2005: Was hat sich geändert?(II). Spezifische Änderungen in medizinischen Leistungsbereichen. <i>Das Krankenhaus</i> 2004;12:1022-1039.	—
Roeder N, Fiori W, Bunzemeier H, Fürstenberg T, Hensen P, Loskamp N, Franz D, Glocker S, Wenke A, Reinecke H , Irps S, Rochell B. G-DRG-System 2005: Was hat sich geändert?(I). <i>Das Krankenhaus</i> 2004;11:908-921.	—
Malyar NM , Lerman LO, Gössl M, Beighley PE, Ritman EL. Relation of nonperfused myocardial volume and surface area to left ventricular performance in coronary microembolization. <i>Circulation</i> 2004;110:1946-1952.	12,563
Malyar NM , Gössl M, Beighley PE, Ritman EL. Relationship between arterial diameter and perfused tissue volume in myocardial microcirculation: a micro-CT-based analysis. <i>Am J Physiol Heart Circ Physiol</i> 2004;286:2386-2392.	3,539
Scobioala S, Klocke R, Michel G, Kuhlmann M, Nikol S . Proteomics: state of the art and its application in cardiovascular research. <i>Curr Med Chem</i> 2004;11:3203-3218.	4,382
Pelisek J, Kuehnl A, Rolland PH, Mekkaoui C, Fuchs A, Walker GF, Ogris M, Wagner E, Nikol S . Functional analysis of genomic DNA, cDNA, and nucleotide sequence of the mature C-type natriuretic peptide gene in vascular cells. <i>Arterioscler Thromb Vasc Biol</i> 2004;24:1646-1651.	7,432
Engelmann MG, Shimizu M, Pelisek J, Fuchs A, Golda A, Mekkaoui C, Fraunberger P, Rolland PH, Nikol S . Comparison of surgical versus endovascular occlusion models in pig femoral arteries. <i>J Endovasc Ther</i> 2004;11:71-79.	1,845
Gössl M, Beighley PE, Malyar NM , Ritman EL. Role of vasa vasorum in transendothelial solute transport in the coronary vessel wall: a study with cryostatic micro-CT. <i>Am J Physiol Heart Circ Physiol</i> 2004;287:2346-2351.	3,539
- 2003 -	
Berendes E, Schmidt C, Van Aken H, Hartlage MG, Wirtz S, Reinecke H , Rothenburger M, Scheld HH, Schluter B, Brodner G, Walter M. Reversible cardiac sympathectomy by high thoracic epidural anesthesia improves regional left ventricular function in patients undergoing coronary artery bypass grafting: a randomized trial. <i>Arch Surg</i> 2003;138:1283-1290.	2,753
Reinecke H , Schaefer RM. Percutaneous coronary interventions in patients with mild to moderate chronic renal failure: to dilate or not to dilate? <i>Nephrol Dial Transplant</i> 2003;18:11:2218-2221.	2,607
Reinecke H , Breithardt G, Van Aken H. Cardiological aspects in preoperative anaesthesiological evaluation: old heroes, new shadows. <i>Eur J Anaesthesiol</i> 2003;20:8:595-599.	1,217

Reinecke H , Trey T, Wellmann J, Heidrich J, Fobker M, Wichter T, Walter M, Breithardt G, Schaefer RM. Haemoglobin-related mortality in patients undergoing percutaneous coronary interventions. <i>Eur Heart J</i> 2003;24:2142-2150.	5,997
Reinecke H , Bunzemeier H, Fürstenberg T, Rothenburger M, Böcker D, Scheld HH, Breithardt G, Roeder N. Probleme bei der Abbildung kardiologischer Erkrankungen im deutschen Fallpauschalen-System (G-DRG). <i>Z Kardiol</i> 2003;92:581-594.	0,935
Reinecke H , Regetmeier A, Matzkies F, Breithardt G, Schaefer RM. Even moderate chronic renal failure is associated with impaired acute and long-term outcome after coronary angioplasty. <i>Nephrology</i> 2003;8:110-115.	0,229
Cassens U, Baumann C, Hillmann H, Reinecke H , Silling G, Booke M, Wawer A, Sibrowski W. Circulatory arrest during PBPC apheresis in an unrelated donor. <i>Transfusion</i> 2003;43:736-741.	2,926
Reinecke H , Trey T, Matzkies F, Fobker M, Breithardt G, Schaefer RM. Grade of chronic renal failure, and acute and long-term outcome after percutaneous coronary interventions. <i>Kidney Int</i> 2003;63:696-701.	5,302
Meyborg M , Mura R, Tiefenbacher C, Becker R, Miachaelson J, Noroomand F. Comparative follow up of patients with implanted cardioverter-defibrillations after induction of sustained monomorphic ventricular tachycardias or ventricular fibrillation by programmed stimulation. <i>Heart</i> 2003;89:629-32.	3,160
Malyar NM , Goessel M, Lund PE, Ritman EL. Surface area of perfusion defects as the determination of the effect of coronary microembolization: A microcomputed tomography study. <i>J Am Coll Cardiol</i> 2003;41(6 Suppl B):354.	7,599
Gössl M, Malyar NM , Rosol M, Beighley PE, Ritman EL. Impact of coronary vasa vasorum functional structure on coronary vessel wall perfusion distribution. <i>Am J Physiol Heart Circ Physiol</i> 2003;285:2019-2026.	3,658
Gössl M, Rosol M, Malyar NM , Fitzpatrick LA, Beighley PE, Zamir M, Ritman EL. Functional anatomy and hemodynamic characteristics of vasa vasorum in the walls of porcine coronary arteries. <i>Anat Rec A Discov Mol Cell Evol Biol</i> 2003; 272:526-537.	—
- 2002 -	
Reinecke H , Bogdanski J, Woltering A, Breithardt G, Assmann G, Kerber S, von Eckardstein A. Relation of serum levels of sex hormone binding globulin to coronary heart disease in postmenopausal women. <i>Am J Cardiol</i> 2002;90:364-368.	2,327
Ribbing M, Dorszewski A, Reinecke H , Breithardt G, Kerber S. Time dependent changes of arterial distensibility induced by cholesterol and balloon injury in rabbits: an in vivo intravascular ultrasound study. <i>Int J Cardiovasc Imaging</i> 2002;18:405-413.	0,150
Reinecke H , Trey T, Fobker M. Grade of renal failure and long-term outcome after percutaneous coronary intervention (PCI). <i>Circulation</i> 2002;106:19:716. Meeting Abstract: 3529.	10,255
Reinecke H , Trey T, Matzkies F. Mildly elevated serum creatinine levels are associated with impaired long-term outcome after coronary angioplasty. <i>Eur Heart J</i> 2002;23:556.	6,131

Reinecke H , Dieckmann T, Fleiter J. Prevention of contrast media-induced renal failure after coronary angiography - First results of the "Diuresis versus Dialysis (DVD) study". <i>Eur Heart J</i> 2002;23:701.	6,131
Horter MJ, Sondermann S, Reinecke H , Bogdanski J, Woltering A, Kerber S, Breithardt G, Assmann G, Von Eckardstein A. Associations of HDL phospholipids and paraoxonase activity with coronary heart disease in postmenopausal women. <i>Acta Physiol Scand</i> 2002;176:123-130.	1,950
Wichter T, Schulze-Bahr E, Eckardt L, Paul M, Levkau B, Meyborg M , Schäfers M, Haverkamp W, Breithardt G. Molecular mechanisms of inherited ventricular arrhythmias. <i>Herz</i> 2002; 27:712-39.	0,906
Herrmann J, von Birgelen C, Haude M, Volbracht L, Malyar NM , Eggebrecht H, Konorza TFM, Baumgart D, Erbel R. Prognostic implication of cardiac troponin T increase following stent implantation. <i>Heart</i> 2002;87:549-553.	2,791
Herrmann J, Haude M, Volbracht L, Altmann C, von Birgelen C, Eggebrecht H, Malyar NM , Baumgart D, Mann K and Erbel R. Rescue“-Indikation für Glykoprotein-IIb/IIIa-Rezeptor-Inhibition im Rahmen perkutaner Koronarintervention? <i>Intensivmed</i> 2002;39:520–528.	—
- 2001 -	
Ribbing M, Reinecke H , Breithardt G, Kerber S. Akuter Vorderwandinfarkt einer 31-jährigen Patientin nach Gabe von Methylethylamin aufgrund peripartaler vaginaler Blutung [Fallbericht]. <i>Herz</i> 2001;26:489-493.	0,860
Fobker M, Voss R, Reinecke H , Crone C, Assmann G, Walter M. Accumulation of Cardiolipin and Lyso-Cardiolipin in Fibroblasts from Tangier Disease Subjects. <i>FEBS Letters</i> 2001;500:157-162.	3,644
Reinecke H , Fallenberg EM, Fischbach R, Kerber S, Breithardt G, Scheld HH, Wichter T. Imaging of a coronary artery aneurysm [Fallbericht]. <i>Ann Thorac Surg</i> 2001;72:2145.	2,141 (½)
Reinecke H , Roeder N, Schmid Ch, Fischer J, Scheld HH, Breithardt G, Kerber S. Outcome of women is impaired in patients undergoing emergency coronary artery bypass grafting for failed PTCA. <i>Z Kardiol</i> 2001;90:729-736.	0,554
Matzkies FK, Reinecke H , Regetmeier A, Breithardt G, Kerber S, Hohage H, Schaefer RM. Long-term outcome after percutaneous transluminal coronary angioplasty in patients with chronic renal failure with and without diabetic nephropathy. <i>Nephron</i> 2001;89:10-14.	1,765
Utech M, Hobbel G, Rust S, Reinecke H , Assmann G, Walter M. Accumulation of RhoA, RhoB, RhoG, and Rac1 in Fibroblasts from Tangier Disease Subjects Suggests a Regulatory Role of Rho Family Proteins in Cholesterol Efflux. <i>Biochem Biophys Res Commun</i> 2001;280:229-236.	2,946
Reinecke H , Nabavi DG, Allroggen A. Transcranial doppler detection of circulating cerebral microemboli. <i>Z Kardiol</i> 2001;90:1:43-51.	0,554
Nabavi DG, Allroggen A, Reinecke H , Kemeny V, Droste DW, Breithardt G, Ringelstein EB. Absence of Circulating Microemboli in Patients with Atrial Fibrillation Undergoing Electric Cardioversion. <i>Cerebrovasc Dis</i> 2001;11:95-99.	1,665
Herrmann J, Volbracht L, Haude M, Eggebrecht H, Malyar NM , Mann K, Erbel R. Biochemical markers of ischemic and non-ischemic myocardial damage. <i>Med Klin</i> 2001;96:144-156.	0,329

- 2000 -

Reinecke H , Fetsch Th, Roeder N, Schmid C, Enbergs A, Ribbing M, Berendes E, Block M, Scheld HH, Breithardt G, Kerber S. Emergency coronary artery bypass grafting after failed coronary angioplasty: What has changed in a decade? <i>Ann Thorac Surg</i> 2000;70:1997-2003.	1,828
Matzkies FK, Reinecke H , Tombach B, Koeneke K, Kisters K, Schaefer RM. Reduced iopromide elimination in hemodialysis with cuprophan membranes. <i>Acta Radiol</i> 2000;41:671-673.	0,785
Reinecke H , Erren M, Schurek JO, Kropf J, Kerber S, Breithardt G, Assmann G, Cullen P. Transforming growth factor beta and coronary artery disease [Brief]. <i>Nutr Metab Cardiovasc Dis</i> 2000;10:101-102.	0,959
Matzkies FK, Reinecke H , Tombach B, Kosch M, Hegger K, Milius M, Hohage H, Kisters K, Kerber S, Schaefer RM. Influence of dialysis procedure, membrane surface and membrane material on iopromide elimination in patients with reduced kidney function. <i>Am J Nephrol</i> 2000;20:300-304.	0,936
Enbergs A, Bürger R, Reinecke H , Borggreffe M, Breithardt G, Kerber S. Prevalence of coronary artery disease in a general population without suspicion of coronary artery disease: angiographic analysis of subjects aged 40 to 70 years referred for catheter ablation therapy. <i>Eur Heart J</i> 2000;21:45-52.	3,840